Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLES FOR CERTAIN DISEASES, CITIES OF THE UNITED STATES, FOR WEEK ENDED OCT. 5, 1912.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.												
Baltimore, Md	558,485	169	24	2	5	....	4	....	43	20	87	1
Boston, Mass	670,585	216	26	2	16	2	9	1	59	19	26	2
Cleveland, Ohio	560,663	143	107	8	3	....	19	1	21	8	13	....
New York, N. Y	4,766,883	1,274	170	13	51	3	66	5	381	155	98	15
Pittsburgh, Pa	533,905	179	54	10	53	2	22	3	18	19	17	....
St. Louis, Mo	687,029	221	42	4	11	....	19	....	39	19	18	2
Cities having from 300,000 to 500,000 inhabitants.												
Buffalo, N. Y	423,715	113	10	2	75	1	4	....	25	12	11	1
Cincinnati, Ohio	364,463	114	19	2	10	....	9	....	20	14	8	1
Detroit, Mich	465,766	141	41	2	.....	....	15	....	.....	.....	.....	....
Los Angeles, Cal	319,198	.....	9	....	1	....	3	....	20	14	4	1
Milwaukee, Wis	373,857	103	18	3	.....	....	7	....	11	10	8	2
Newark, N. J	347,469	93	20	....	6	....	7	....	30	12	3	1
New Orleans, La	339,075	114	12	....	.....	....	6	....	26	19	8	2
Washington, D. C	331,069	103	4	....	.....	....	3	....	15	.....	14	3
Cities having from 200,000 to 300,000 inhabitants.												
Jersey City, N. J	267,779	72	.....	....	.....	....	.....	....	.....	6	.....	....
Providence, R. I	224,326	38	16	2	.....	....	15	....	.....	.....	4	1
Cities having from 100,000 to 200,000 inhabitants.												
Bridgeport, Conn	102,054	28	3	....	.....	....	1	....	2	1	1	....
Cambridge, Mass	104,839	33	3	1	1	....	.....	....	6	1	2	....
Dayton, Ohio	116,577	38	37	3	2	....	1	....	1	5	.....	....
Fall River, Mass	119,295	45	5	1	.....	....	.....	1	3	3	5	1
Grand Rapids, Mich	112,571	30	5	1	2	....	.....	....	.....	.....	20	1
Lowell, Mass	106,294	35	6	....	4	....	20	....	1	2	4	....
Nashville, Tenn	110,364	41	10	....	.....	....	7	....	7	3	6	2
Omaha, Nebr	124,096	34	2	....	.....	....	.....	....	2	1	.....	....
Richmond, Va	127,628	61	8	1	.....	....	17	....	.....	6	5	....
Spokane, Wash	104,402	.....	.....	....	1	....	3	....	.....	.....	.....	....
Toledo, Ohio	168,497	47	7	....	1	....	12	1	5	4	11	1
Worcester, Mass	145,986	53	5	....	.....	....	1	....	5	2	5	....
Cities having from 50,000 to 100,000 inhabitants.												
Altoona, Pa	52,127	11	2	....	.....	....	1	....	2	.....	5	....
Bayonne, N. J	55,545	20	6	....	2	....	.....	....	2	3	1	....
Brockton, Mass	56,878	16	2	....	.....	....	.....	....	5	2	2	....
Camden, N. J	94,538	.....	10	2	1	....	2	....	3	.....	2	....
Elizabeth, N. J	73,409	22	3	1	.....	....	2	....	2	3	.....	....
Erie, Pa	66,525	14	6	....	5	....	1	1	2	1	2	....
Evansville, Ind	69,647	17	27	....	.....	....	1	....	1	2	2	1
Fort Wayne, Ind	63,933	14	1	....	.....	....	.....	....	.....	.....	3	....
Harrisburg, Pa	64,186	9	2	....	1	....	.....	....	5	.....	2	....
Hartford, Conn	98,915	26	6	....	1	....	1	....	6	.....	.....	....
Hoboken, N. J	70,324	.....	.....	....	.....	....	1	....	13	1	1	....
Houston, Tex	78,800	20	3	....	.....	....	4	....	.....	4	.....	1
Johnstown, Pa	55,482	.....	15	3	.....	....	.....	....	.....	.....	4	....
Lynn, Mass	89,336	21	1	....	3	....	1	....	.....	1	2	1
Manchester, N. H	70,063	27	1	1	.....	....	1	....	1	1	.....	....
New Bedford, Mass	96,652	33	1	....	3	....	2	....	5	3	13	....
Oklahoma City, Okla	64,205	14	1	....	.....	....	.....	....	1	1	6	....
Passaic, N. J	54,773	25	2	....	2	....	.....	....	1	3	2	....
Pawtucket, R. I	51,622	.....	.....	....	.....	....	.....	....	.....	1	.....	....
Peoria, Ill	66,950	16	4	....	.....	....	2	....	1	2	1	....
Reading, Pa	96,071	32	4	....	.....	....	1	....	1	2	9	1
Saginaw, Mich	50,510	15	1	....	.....	....	3	....	2	1	2	....
Schenectady, N. Y	72,826	15	1	....	.....	....	.....	....	7	2	1	....
South Bend, Ind	53,684	9	.....	....	.....	....	1	....	.....	.....	3	1

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Oct. 5, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.												
Springfield, Ill	51,678	13	4	1						2	7	
Springfield, Mass	88,926	30	2						3	3	3	
Trenton, N. J	96,815	35	4				3		4	4	4	1
Wilkes-Barre, Pa	67,105	19	6		1		3		4			
Yonkers, N. Y	79,803	19	4				1		1	2	3	
Cities having from 25,000 to 50,000 inhabitants.												
Atlantic City, N. J	46,150	9	1	1			4			1		
Aurora, Ill	29,807	4	1									
Binghamton, N. Y	48,443	15							2	1	1	
Brookline, Mass	27,792	2	4								3	
Butte, Mont	39,165	17	1				1			1		
Chattanooga, Tenn	44,604		1				1				1	
Chelsea, Mass	32,452	12	3						3		1	
Chicopee, Mass	25,401	8	4			1	1					
Danville, Ill	27,871	3	1				8					1
East Orange, N. J	34,371								2			
Elmira, N. Y	37,176	4	1				1		1		1	
El Paso, Tex	39,279	25		1			3			4	3	1
Everett, Mass	33,484	7					2		3		1	
Fitchburg, Mass	37,826	12	1						1			
Haverhill, Mass	44,115	15	1				1		4			
Kalamazoo, Mich	39,437	17							1	1	2	
Knoxville, Tenn	36,346	11				1				3		
La Crosse, Wis	30,417	5										
Lancaster, Pa	47,227		5		1		4					
Lexington, Ky	35,099	11	6							3	1	
Lynchburg, Va	29,494	8	1				6			3	2	
Malden, Mass	44,404	14			3				3	3	2	
Montgomery, Ala	38,136	15	6	1	2							
Newcastle, Pa	36,280		5						1		4	
Newport, Ky	30,309	13	6	1			2		1	1		
Newton, Mass	39,806	8					3			1		
Niagara Falls, N. Y	30,445	8	2		3		2	1			1	
Norristown, Pa	27,875	5							4		12	1
Orange, N. J	29,630	12	6				1		9	1	a 6	1
Pasadena, Cal	30,291	12							2	2		
Pittsfield, Mass	32,121	5	3				3		2	1	2	
Portsmouth, Va	33,190	10	7							1		
Racine, Wis	38,002	9	3				3	1				
Roanoke, Va	34,874	11	7	1			1		4	1	2	
Rockford, Ill	45,401	13	11								16	
Salem, Mass	43,697	11	1				2			1		
San Diego, Cal	39,578		1				1		1	1		
South Omaha, Nebr	26,259	5										
Superior, Wis	40,384	9	2									
Taunton, Mass	34,259	8							1	2		
Waltham, Mass	27,834	10	2				1				1	
West Hoboken, N. J	35,403		1						1			
Wheeling, W. Va	41,641	13	12	1					1		2	
Williamsport, Pa	31,860	6							1		2	
Wilmington, N. C	25,748	14	3		1		1		2	2	3	
Zanesville, Ohio	28,026	3	2								4	
Cities having less than 25,000 inhabitants.												
Alameda, Cal	23,833	7										
Ann Arbor, Mich	14,817	7	1									
Beaver Falls, N. Y	12,191	0	1									
Bennington, Vt		2	1								2	
Biddeford, Me	17,079	10										
Butler, Pa	20,728	6	5								1	
Cambridge, Ohio	11,327	2	1				2					
Clinton, Mass	13,075	3			1							

a 4 out of town.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Oct. 5, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Continued.												
Columbus, Ind		3	1									
Concord, N. H	21,497	6										
Cumberland, Md	21,839	7	1				1		1		6	
Dunkirk, N. Y		8								1	1	
Galesburg, Ill	22,089	8	1								4	1
Harrison, N. J	14,498	2	3						1			
Kearny, N. J	18,659	1	2									
La Fayette, Ind	20,081	8	1							1		
Logansport, Ind		6									1	
Marinette, Wis	14,610	3	1									
Marlboro, Mass	14,579	2	6								1	
Massillon, Ohio	23,870	5					1				3	
Medford, Mass	23,150	11			2					2		
Melrose, Mass	16,715	3										
Moline, Ill	24,199	7									5	
Morristown, N. J	12,507	4								1	1	
Nanticoke, Pa	18,857	2									1	
Newburyport, Mass	19,240	1										
North Adams, Mass	22,019	3									1	
Northampton, Mass	19,431								1	1		
Palmer, Mass		3										
Plainfield, N. J	22,250	3							1			
Saratoga Springs, N. Y											1	
South Bethlehem, Pa		7	1			1			1	2		
Steelton, Pa	14,246	0	3						2			
Wilkinsburg, Pa	18,924	13			1							
Woburn, Mass	15,308	2							1			

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

KANSAS.—Month of August, 1912. Population 1,690,949. Total number of deaths from all causes not reported. The deaths include typhoid fever, 12. Cases reported: Diphtheria 11, measles 10, scarlet fever 27, smallpox 32, typhoid fever 281.

MARYLAND.—Month of August, 1912. Population 1,295,346. Total number of deaths from all infectious diseases 164, including diphtheria 8, tuberculosis 76, typhoid fever 23. Cases reported: Diphtheria 49, measles 50, scarlet fever 15, typhoid fever 359.

The typhoid fever cases were distributed as follows: Potomac River watershed 73, Patapsco River watershed 29, Patuxent River watershed 15, Susquehanna River watershed 1 (Havre de Grace), Baltimore City water system 28.

MICHIGAN.—Month of September, 1912. Population 2,810,173. Communicable diseases were reported as follows: Diphtheria 147, measles 31, scarlet fever 109, smallpox 13, tuberculosis 119, typhoid fever 220.